



LIGHTING RANGE

2024 / 2025

## R65 LED ECLIPSE II LIGHTBAR / 36"

**CA 7852**

[922mm]

168W [168 x 1W]  
168 Amber LEDs  
922(W)\*130(H)\*305(D)mm

## R65 LED ECLIPSE II LIGHTBAR / 45"

**CA 7853**

[1150mm]

200W [200 x 1W]  
200 Amber LEDs  
1150(W)\*130(H)\*305(D)mm

## R65 LED ECLIPSE II LIGHTBAR / 54"


**CA 7854**

[1377mm]

232W [232 x 1W]  
232 Amber LEDs  
1377(W)\*130(H)\*305(D)mm

### SPECIFICATIONS

10/30V  
ECE R10 / R65  
Rated IP69K  
10 Flash Patterns  
Class 2 Day/Night  
Bolt Fixing



PREMIUM LIGHT BAR RANGE

## R65 LED ATLAS LIGHTBAR / 37"

**CA 7752**

[956mm]

56W [16 x 1W, 80 x 0.5W]  
96 Amber LEDs  
955(W)\*30(H)\*128(D)mm

## R65 LED ATLAS LIGHTBAR / 50"

**CA 7754**

[1273mm]

72W [16 x 1W, 112 x 0.5W]  
128 Amber LEDs  
1273(W)\*30(H)\*128(D)mm

## R65 LED ATLAS LIGHTBAR / 62"

**CA 7757**

[1590mm]

88W [16 x 1W, 144 x 0.5W]  
160 Amber LEDs  
1590(W)\*30(H)\*128(D)mm

### SPECIFICATIONS

10/30V  
ECE R10 / R65  
Rated IP67  
11 Flash Patterns  
CISPR25 Class 3  
Bolt Fixing



PREMIUM LIGHT BAR RANGE

## R65 LED APOLLO LIGHTBAR / 29"

**CA 7651** [743mm]

72W (72 x 1W)  
72 High Performance Amber LEDs  
743(W)\*99(H)\*271(D)mm

## R65 LED APOLLO LIGHTBAR / 38"

**CA 7652** [963mm]

90W (90 x 1W)  
90 High Performance Amber LEDs  
963(W)\*98(H)\*271(D)mm

## R65 LED APOLLO LIGHTBAR / 47"

**CA 7653** [1183mm]

108W (108 x 1W)  
108 High Performance Amber LEDs  
1183(W)\*98(H)\*271(D)mm

## R65 LED APOLLO LIGHTBAR / 55"

**CA 7654** [1403mm]

126W (126 x 1W)  
126 High Performance Amber LEDs  
1403(W)\*98(H)\*271(D)mm

## R65 LED APOLLO LIGHTBAR / 72"

**CA 7657** [1843mm]

162W (162 x 1W)  
162 High Performance Amber LEDs  
1843(W)\*98(H)\*271(D)mm



### SPECIFICATIONS

10/30V  
ECE R10 / R65  
Rated IP65  
19 Flash Patterns  
PC Bracket Mount  
560mm Cable  
Adjustable Mounting Brackets / Bolt Fixing

## LED APOLLO RECOVERY LIGHTBAR / 47"

**CA 7655** [1183mm]

10/30V • 126W (126 x 1W) • 126 High Performance Red & Amber LEDs  
ECE R6 / R7 / R10 / R65 • Rated IP65 • 19 Patterns  
Clear Lens • 1183(W)\*98(H)\*271(D)mm  
**Stop - Tail - Indicator lights built in**



ROBUST & RELIABLE LIGHT BARS

## LED ADVENTURE LIGHTBAR / 12"

**CA 7626C** BOLT-ON  
**CA 7627C** MAGNETIC

10/30V • 20W • 20 LEDs  
ECE R10 • Rated IP65  
297(W)\*53(H)\*175(D)mm  
10 Patterns



Amber Lens

## LED ADVENTURE LIGHTBAR (REG 65) / 12"

**CA 7634** BOLT-ON  
**CA 7635** MAGNETIC

10/30V • 30W • 20 LEDs  
ECE R10 / R65 • Rated IP65  
297(W)\*53(H)\*175(D)mm  
10 Patterns



Clear Lens

## LED EXPLORER LIGHTBAR / 16"

**CA 7632B**

10/30V • 56 Amber LEDs  
ECE R10 / R65  
Rated IP67  
LED Class 2  
10 Flash Patterns  
Night Enabled  
388(W)\*76(H)\*220(D)mm  
**Bolt Fixing**



4 POD MAGNETIC KIT (EXTRA)  
**CA 7632MAG**

## LED ADVENTURE LIGHTBAR (REG 65) / 16"

**CA 7097**

10/30V • 56 Amber SMD LEDs  
ECE R10 / R65 • Rated IP69K  
10 Flash Patterns  
2.5mtr Cable  
388(W)\*66(H)\*223(D)mm  
**4 Bolt Fixings**




4 POD MAGNETIC KIT (EXTRA)  
**CA 7097MAG**

## 12 LED LOW PROFILE WARNING

### CA 7083

10/30V • 12 LEDs  
ECE R10 / R65  
Rated IP67 / IP67K  
11 Patterns



128(W)\*36(H)\*16(D)mm

## LED EXPLORER LIGHTBAR / 10"

### CA 7636 4 BOLT FIXED

### CA 7637 MAGNETIC

10/30V • 72 Amber SMD LEDs  
ECE R65 • Rated IP69K  
20 Patterns • 2.5mtr Cable [CA 7636]  
3mtr Coil Cable with Cig Plug [CA 7637]



251(W)\*170(H)\*47(D)mm

## 8 LED LOW PROFILE WARNING

### CA 7082

10/30V • 8 LEDs  
ECE R10 / R65  
Rated IP67 / IP67K  
11 Patterns



98(W)\*36(H)\*16(D)mm

## 6 LED LOW PROFILE WARNING

### CA 7171A

10/30V • 6 Amber LEDs  
ECE R10 / R65 [Class 2]  
Rated IP69K  
19 Patterns



100(W)\*29(H)\*12(D)mm

## 12 LED LOW PROFILE WARNING

### CA 7173A

10/30V • 12 Amber LEDs  
ECE R10 / R65 [Class 2]  
Rated IP69K  
20 Patterns



108(W)\*36(H)\*12(D)mm

## 6 LED LOW PROFILE WARNING LIGHT

### CA 7175A

10/30V • 6 Amber LEDs  
Rated IP69K  
ECE R10 / R65 [Class 2]  
19 Patterns



130(W)\*30(H)\*11(D)mm

## 3 LED DIRECTIONAL WARNING LIGHT

### CA 7126

10/30V • 3 Amber LEDs  
Rated IP69K  
ECE R10 / R65  
10 Patterns



80(W)\*29(H)\*10(D)mm



## 4 LED LOW PROFILE WARNING LIGHT

### CA 7124

10/30V • 4 Amber LEDs  
Reg 65 [Class 2] / C/SPR 25 Class 3  
ECE R10 • Rated IP67  
10 Patterns



76(W)\*54(H)\*15(D)mm

## 4 LED LOW PROFILE WARNING LIGHT

### CA 7123

10/30V • 4 Amber LEDs  
Reg 65 [Class 2] / C/SPR 25 Class 3  
ECE R10 • Rated IP67  
10 Patterns



76(W)\*62(H)\*16(D)mm

## 3 LED SUPER SLIM WARNING

### CA 7182A AMBER / R10 / R65

### CA 7182R RED / R10

10/30V • 3 LEDs • ECE Reg Approved  
Rated IP67 • 18 Patterns



83(W)\*30(H)\*9(D)mm

## 4 LED SUPER SLIM WARNING

### CA 7183A AMBER / R10 / R65

### CA 7183R RED / R10

10/30V • 4 LEDs • ECE Reg Approved  
Rated IP67 • 18 Patterns



99(W)\*30(H)\*9(D)mm

## 6 LED SUPER SLIM WARNING

### CA 7184A AMBER / R10 / R65

### CA 7184R RED / R10

10/30V • 6 LEDs • ECE Reg Approved  
Rated IP67 • 18 Patterns



130(W)\*30(H)\*9(D)mm

## 6 LED LOW PROFILE WARNING

**CA 7084A** AMBER

**CA 7084R** RED

10/30V • 6 LEDs  
ECE R10 / R65  
Rated IP69K  
10 Patterns



RATED  
IP69K



120(W)\*32(H)\*14(D)mm

## 4 LED LOW PROFILE WARNING

**CA 7071A** AMBER

10/30V  
4 LEDs  
ECE R10  
Rated IP69K  
19 Patterns



RATED  
IP69K



97(W)\*33(H)\*13(D)mm

## 6 LED LOW PROFILE WARNING

**CA 7073A** AMBER

**CA 7073R** RED

**CA 7073W** WHITE

10/30V • 6 LEDs  
ECE R10  
Rated IP69K • 19 Patterns



RATED  
IP69K



113(W)\*28(H)\*13(D)mm

## 3 LED WARNING LIGHT

**CA 6082A** AMBER / R65

**CA 6082R** RED / R10

**CA 6082W** WHITE / R10

10/30V • 3 LEDs  
ECE R10 / R65  
Rated IP67 • 6 Patterns



91(W)\*45(H)\*28(D)mm

## 6 LED WARNING LIGHT

**CA 6084** AMBER

10/30V • 6 Amber LEDs • ECE R10 / R65  
Rated IP67 • 10 Patterns



140(W)\*48(H)\*30(D)mm

## 3 LED WARNING LIGHT

**CA 6082** AMBER / R65

10/30V • 3 LEDs  
ECE R65  
Rated IP6K9K  
10 Patterns



RATED  
IP69K



91(W)\*48(H)\*28(D)mm

## 6 LED WARNING LIGHT

**CA 6083A** AMBER

10/30V • 6 Amber LEDs  
ECE R10 / R65 • Rated IP67  
10 Patterns



142(W)\*35(H)\*30(D)mm

## 3 LED OVAL WARNING LIGHT

**CA 5711** AMBER

10/30V  
3 Amber SMD LEDs  
ECE R10 / R65  
Rated IP67  
6 Patterns




92(W)\*93(H)\*35(D)mm

## 180° LED WARNING LIGHT

**CA 5769** AMBER

10/30V • 18 Amber LEDs  
ECE R10 / R65  
Rated IP69K  
19 Patterns



new  
product

RATED  
IP69K



130(W)\*28(D)\*28(H)mm

## DAYTIME RUNNING LAMP

**CA 5713**

10/30V • 8 White LEDs • ECE Approved  
Rated IP67



140(W)\*28(D)\*34(H)mm

## LIGHTING SWITCH PANEL

**EP 776**

For use on Directional Warning Lights,  
Light Bars, Work Lamps etc.

Voltage: 10/30V  
Illuminated Switches



105(W)\*60(H)\*29/34(D)mm

## LIGHT BAR CONTROL PANEL

**EP 774**

For use on Directional Warning Lights,  
Light Bars, Work Lamps etc.

Voltage: 10/30V  
3 Way Switch On / Off / Pattern



87(W)\*61(H)\*25(D)mm

## 3" WORKLAMP / WARNING LAMP - 32W

**CA 5744**

10/30V  
Flood: **3780 Lumens**  
Flash: **1000 Lumens**  
ECE R10 / R65 • Rated IP69K  
76(W)\*108(D)\*40(H)mm



RATED  
IP69K



new  
product

## 7" LED SCENE / WARNING LAMP

**CA 5767**

10/30V  
**998 Lumens**  
ECE R10 / R65 Class 2 / R148  
Rated IP67  
19 Flash Patterns  
180(W)\*61(H)\*28(D)mm



REG 65  
CLASS 2



new  
product

## R65 LED FLEXIBLE POLE MOUNT

**CA 7066** *R65 STANDARD*

10/30V • 12 LEDs • 36W  
ECE R65 • Rated IP67  
H: 211mm • Base: Ø116mm  
Functions: Single, Double,  
Quad, Revolving.



## R65 LED 3 BOLT MOUNT

**CA 7067** *R65 STANDARD*

10/30V • 12 LEDs • 36W  
ECE R65 • Rated IP67  
H: 125mm • Base: Ø148mm  
Functions: Single, Double,  
Quad, Revolving.



## R65 LED MAGNETIC MOUNT

**CA 7068** *R65 STANDARD*

10/30V • 12 LEDs • 36W  
ECE R65 • Rated IP67  
H: 131mm • Base: Ø148mm  
Functions: Single, Double,  
Quad, Revolving.



## R65 LED SINGLE BOLT MOUNT

**CA 8082** *R65 COMPACT*


10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 164mm • Base: Ø129mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED MAGNETIC MOUNT / 3 BOLT MOUNT

**CA 8083** *R65 COMPACT*

10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 135mm • Base: Ø142mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED POLE MOUNT

**CA 8084** *R65 COMPACT*

10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 208mm • Base: Ø129mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED MAGNETIC MOUNT

**CA 7043** *R65 COMPACT / MINI*


10/30V • 36 Amber LEDs • 18W  
ECE R10 / R65 • Rated IP67  
H: 100mm • Base: Ø130mm  
Functions:  
7 Flash Patterns



## R65 LED 3 BOLT MOUNT

**CA 7045** *R65 COMPACT / MINI*

10/30V • 36 Amber LEDs • 18W  
ECE R10 / R65 • Rated IP67  
H: 100mm • Base: Ø130mm  
Functions:  
7 Flash Patterns



## R65 LED SINGLE BOLT MOUNT

**CA 8122** *R65 COMPACT*

10/30V • 36 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 132mm • Base: Ø115mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED MAGNETIC MOUNT

**CA 8123** *R65 COMPACT*

10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 104mm • Base: Ø115mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED POLE MOUNT

**CA 8124** *R65 COMPACT*

10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 166mm • Base: Ø114mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED 3 BOLT MOUNT

**CA 8125** *R65 COMPACT*

10/30V • 8 LEDs • 24W  
ECE R10 / R65 • Rated IP66  
H: 68mm • Base: Ø136mm  
Functions: Rotation,  
Single, Double Flash.



## R65 LED SINGLE BOLT MOUNT

**CA 8185** *R65 COMPACT*

10/30V • 36 LEDs • 54W  
ECE R10 / R65 • Rated IP66  
H: 146mm • Base: Ø125mm  
Functions: Single Flash



## R65 LED MAGNETIC MOUNT

**CA 8186** *R65 COMPACT*

10/30V • 36 LEDs • 54W  
ECE R10 / R65 • Rated IP66  
H: 117mm • Base: Ø139mm  
Functions: Single Flash



## R65 LED POLE MOUNT

**CA 8187** *R65 COMPACT*

10/30V • 36 LEDs • 54W  
ECE R10 / R65 • Rated IP66  
H: 193mm • Base: Ø125mm  
Functions: Single Flash



## LED SINGLE BOLT MOUNT

### CA 8182 COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 146mm • Base: Ø125mm  
Functions: Revolving,  
Single, Double Flash.



## LED MAGNETIC MOUNT / 3 BOLT MOUNT

### CA 8183 COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 117mm • Base: Ø139mm  
Functions: Revolving,  
Single, Double Flash.



## LED FLEXIBLE POLE MOUNT

### CA 8184 COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 193mm • Base: Ø125mm  
Functions: Revolving,  
Single, Double Flash.



## 2 BOLT MOUNT (MINI)

### CA 7505LED 10/30V LED

### CA 7505 12/110V XENON

ECE R10  
Rated IP65  
H: 131mm  
Base: 99 x Ø71mm



## 3 BOLT MOUNT (MINI)

### CA 7500LED 12/24V LED

### CA 7500 12/80V XENON

ECE R10  
Rated IP65  
H: 95mm  
Base: Ø129mm




## MAGNETIC MOUNT (MINI)

### CA 7501LED 10/30V LED

### CA 7501 12/110V XENON

ECE R10  
Rated IP65  
H: 95mm  
Base: Ø129mm



## LED THREE BOLT MOUNT

### CA 6055C 10/30V LED

10/30V • 80 White LEDs  
18W • ECE R10  
Rated IP65  
H: 200mm  
Base: Ø142mm



## LED SINGLE BOLT MOUNT

### CA 6056C 10/30V LED

10/30V • 80 White LEDs  
18W • ECE R10  
Rated IP65  
H: 200mm  
Base: Ø144mm



## LED MAGNETIC MOUNT

### CA 6057C 10/30V LED

10/30V • 80 White LEDs  
18W • ECE R10  
Rated IP65  
H: 200mm  
Base: Ø142mm



## LED FLEXI POLE MOUNT

### CA 6058C 10/30V LED

10/30V • 40 White LEDs  
8W • ECE R10  
Rated IP65  
H: 245mm  
Base: Ø128mm



## R65 LED MAGNETIC MOUNT

### CA 7050 R65 LOW PROFILE

10/30V • 30 Amber LEDs • 30W  
ECE R10 / R65 • Rated IP6K9K  
H: 106mm  
Base: Ø169mm  
10 Flash Patterns.



## R65 MAGNETIC MOUNT ROTATING

### CA 2046C STANDARD BULB ROTATING

12V • 50W  
ECE R10 / R65 • Rated IP65  
H: 210mm  
Base: Ø140mm  
H1 12V Halogen Bulb



## R65 POLE MOUNT ROTATING

### CA 2051C STANDARD BULB ROTATING

12V • 50W  
ECE R10 / R65 • Rated IP65  
H: 245mm  
Base: Ø130mm  
H1 12V Halogen Bulb



## SINGLE BOLT ROTATING

### CA 2040C STANDARD BULB ROTATING

10/30V • 55W / 70W  
ECE R10 / R65 • Rated IP65  
H: 200mm  
Base: Ø142mm  
H1 Halogen Bulb



## POLE MOUNT ROTATING

### CA 2050C STANDARD BULB ROTATING

10/30V • 55W / 70W  
ECE R10 / R65 • Rated IP65  
H: 245mm  
Base: Ø128mm  
H1 Halogen Bulb



## MAGNETIC MOUNT ROTATING

### CA 2045C STANDARD BULB ROTATING

10/30V • 55W / 70W  
ECE R10 / R65 • Rated IP65  
H: 210mm  
Base: Ø142mm  
H1 Halogen Bulb



## LED SINGLE BOLT MOUNT

### CA 8182G COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 146mm • Base: Ø125mm  
Functions: Revolving,  
Single, Double Flash.



## SEAT BELT WARNING KIT W/GREEN LED BEACON

### CA 8131

45 SMD LEDs  
IP66  
ECE R10 / R16  
Flexible DIN Base  
H: 210mm  
Base: Ø128mm  
Functions: Single, Double, Rotating



## LED MAGNETIC MOUNT / 3 BOLT MOUNT

### CA 8183G COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 117mm • Base: Ø139mm  
Functions: Revolving,  
Single, Double Flash.



## R65 LED SINGLE BOLT MOUNT

### CA 8122R R65 COMPACT

10/30V • 12 LEDs • 36W  
ECE R10 / R65 • Rated IP56  
H: 132mm • Base: Ø115mm  
Functions: Single,  
Double, Quad



## LED FLEXIBLE POLE MOUNT

### CA 8184G COMPACT

10/30V • 60 LEDs • 30W  
ECE R10 • Rated IP66  
H: 193mm • Base: Ø125mm  
Functions: Revolving,  
Single, Double Flash.



## R65 LED MAGNETIC MOUNT

### CA 8123R R65 COMPACT

10/30V • 12 LEDs • 36W  
ECE R10 / R65 • Rated IP56  
H: 104mm • Base: Ø115mm  
Functions: Single,  
Double, Quad



## R65 LED POLE MOUNT

### CA 8124R R65 COMPACT

10/30V • 12 LEDs • 36W  
ECE R10 / R65 • Rated IP56  
H: 179mm • Base: Ø115mm  
Functions: Single,  
Double, Quad



## R65 LED RECHARGABLE BEACON / MAGNETIC MOUNT

### CA 8190

10/30Vs • 36 LEDs • 54W  
ECE R10 / R65 • Rated IP66  
H: 98mm • Base: Ø123mm  
Functions: Single, Double Flash  
4hr Full Charge, 8hr Battery Life.



Code	Fixing	Profile	Type
1 CA 6600A	2 Bolt	'T' Type	Fixed
2 CA 6601A	2 Bolt	'L' Type	Collapsible
3 CA 6602A	2 Bolt	'L' Type	Fixed



Code	Fixing	Profile	Type
4 CA 6603A	Screw-In	'I' Type	Fixed w/Thread
5 CA 6604A	2 Bolt	'L' Type	Spring Loaded

## BEACON POLE MOUNT ADAPTORS



Code	Description
1 CA 317	Cigar Plug / On-Off Switch / Multi Flash Patterns
2 BLCA 319*	Cigarette Plug / No Switch / Single Flash Patterns
3 EP 770	Cigarette Plug & Socket (Fits: 28mm)

Code	Description
4 CA 313	Cigar Plug / 2.5mtr Cable / Pattern Switch Power Switch / Multiple Flash Patterns

## ACCESSORIES / EXTRAS



## 4" SQUARE WORK LAMP - 32W

### CA 5741

10/30V • 1920 Lumens  
16 SMD LEDs • IP66 • ECE R10  
110(W)\*128(H)\*28(D)mm



## 4" SQUARE REVERSE LAMP - 16W

### CA 5731

10/30V • 500 Lumens  
16 LEDs • IP66 • ECE R10 / R23  
110(W)\*128(H)\*28(D)mm



## 4" SQUARE WORK LAMP - 48W

### CA 5745

10/30V • 2016 Lumens  
16 SMD LEDs • IP6K9K • ECE R10  
110(W)\*128(H)\*28(D)mm



## 4" LED WORK LAMP - 48W

### CA 5724

10/30V • 3840 Lumens  
16 LEDs • IP68 • ECE R10  
108(W)\*138(H)\*70(D)mm



## 4" SQUARE WORK LAMP - 15W

### CA 5702

10/30V • 1050 Lumens  
5 LEDs • IP67 • ECE R10  
110(W)\*136(H)\*41(D)mm



## 4" SQUARE WORK LAMP - 27W

### CA 5740

10/30V • 2430 Lumens  
9 LEDs • IP67 • ECE R10  
109(W)\*136(H)\*48(D)mm



## 4" SQUARE WORK LAMP - 48W

### CA 5714


10/30V • 3600 Lumens  
16 LEDs • IP67 • ECE R10  
118(W)\*152(H)\*74(D)mm



## 4" SQUARE WORK LAMP - 15W

### CA 5770

10/30V • 1200 Lumens  
9 LEDs • IP67 • ECE R10  
100(W)\*128(H)\*63(D)mm



## 4" SQUARE WORK LAMP - 27W

### CA 5709

10/30V • 2050 Lumens  
9 LEDs • IP67 • ECE R10  
116(W)\*143(H)\*70(D)mm



## 4.4" WORK LAMP - 54W

### CA 5739 Plug-in Connector

10/30V • 6840 Lumens  
36 OSRAM LEDs  
IP67 / Thermo Sense • ECE R10  
110(W)\*125(H)\*49(D)mm



## 4" WORK LAMP - 48W

### CA 5752 Plug-in Connector

10/30V • 4150 Lumens  
16 LEDs  
IP67 • ECE R10  
110(W)\*137(H)\*70(D)mm



## 4" WORK LAMP - 35W

### CA 6161 Plug-in Connector

10/30V • 3500 Lumens  
7 CREE LEDs  
IP68 • ECE R10  
109(W)\*118(H)\*75(D)mm



## 4" WORK LAMP - 90W

### CA 6171 Plug-in Connector

10/30V • 9000 Lumens  
6 CREE LEDs • IP68 • ECE R10  
106(W)\*131(H)\*79(D)mm



## 3.5" 180° WORKLAMP - 36W

### CA 5747

10/30V • 3960 Lumens  
18 LEDs • IP67 • ECE R10  
91(W)\*87(H)\*76(D)mm



## 6" OVAL WORK LAMP - 24W

### CA 5743

10/30V • 1440 Lumens  
8 LEDs • IP6K9K • ECE R10  
142(W)\*120(H)\*60(D)mm



## 6" OVAL WORK LAMP - 18W

### CA 5704

10/30V • 1350 Lumens  
6 LEDs • IP67 • ECE R10  
145(W)\*124(H)\*50(D)mm



## 6" OVAL WORKLAMP - 30W

### CA 5736 Plug-in Connector

10/30V • 3000 Lumens  
6 LEDs • IP67 • ECE R10  
148(W)\*133(H)\*73(D)mm  
ADJUSTABLE



## 6" OVAL WORKLAMP - 39W

### CA 5751 Plug-in Connector

10/30V • 3100 Lumens  
Rated IP67 • ECE R10  
145(W)\*120(H)\*77(D)mm



## 6" RECTANGLE WORK LAMP - 18W CA 5705

10/30V • 1350 Lumens  
6 LEDs  
Rated IP67  
ECE R10  
150(W)\*124(H)\*59(D)mm



ADVENTURE

## 3" ROUND WORK LAMP - 18W CA 5703

10/30V • 1350 Lumens  
6 LEDs • IP67 • ECE R10  
84(W)\*113(H)\*97(D)mm



ADVENTURE

## 4.6" LED WORK LAMP - 54W CA 5738 Plug-in Connector

10/30V • 6840 Lms • 36 LEDs  
IP67 / Thermo Sense • ECE R10  
116(W)\*128(H)\*48(D)mm



EXPLORER

## SQUARE MINI WORKLAMP - 7.5W CA 5733

10/30V • 950 Lumens  
5 LEDs • IP69K • ECE R10 / R23  
73(W)\*94(H)\*31(D)mm



ADVENTURE

## 2.5" MINI TRI WORKLAMP - 9W CA 5730

10/30V • 750 Lms • 3 LEDs • IP67  
ECE R10 • 72(W)\*98(H)\*48(D)mm



EXPLORER

## 3.5" LED MINI WORKLAMP - 16W CA 5728 Plug-in Connector

10/30V • 1600 Lumens  
16 LEDs  
IP67 / IP69K • ECE R10 / R23  
83(W)\*110(H)\*42(D)mm  
Water Resistant ON/OFF Switch



EXPLORER

## 6" ADJUSTABLE WORK LAMP - 27W CA 5716

10/30V • 1800 Lms  
8 LEDs • Rated IP67  
ECE R10  
156(W)\*122(H)\*85(D)mm



ADVENTURE

## 4" ROUND WORK LAMP - 18W CA 5706

10/30V • 1350 Lumens  
6 LEDs • IP67 • ECE R10  
116(W)\*136(H)\*43(D)mm



ADVENTURE

## 6" EASY SWITCH LAMP - 12W CA 5712

10/30V • 1350 Lumens  
12 LEDs • IP67 • ECE R10  
156(W)\*242(H)\*86(D)mm



ADVENTURE

## ROUND MINI WORKLAMP - 7.5W CA 5735

10/30V • 950 Lumens  
5 LEDs • IP69K • ECE R10  
75(W)\*94(H)\*30(D)mm



ADVENTURE

## 3.5" MINI OVAL WORKLAMP - 9W CA 5732

10/30V • 750 Lms • 3 LEDs • IP67  
ECE R10 • 84(W)\*74(H)\*57(D)mm



EXPLORER

## 5" RECTANGULAR WORKLAMP - 18W CA 5708


10/30V  
1350 Lumens  
6 LEDs • Rated IP67  
ECE R10  
145(W)\*53(H)\*75(D)mm



ADVENTURE

## 6" ADJUSTABLE WORK LAMP - 40W CA 5746 Plug-in Connector

10/30V • 3400 Lms  
8 LEDs • Rated IP67  
ECE R10  
156(W)\*122(H)\*95(D)mm



EXPLORER

## 4" MAGNETIC WORK LAMP - 18W CA 5707

10/30V • 1350 Lumens  
6 LEDs • IP67 • ECE R10  
116(W)\*147(H)\*43(D)mm



ADVENTURE

## 360° ROTATABLE WORKLAMP - 33.5W CA 5753

10/30V • 6750 Lumens  
9 LEDs • IP67 • ECE R10  
167(W)\*217(H)\*126(D)mm



ADVENTURE

## 3" WORKLAMP / WARNING - 32W CA 5744 10/30V

Flood: 3780 Lms / 4 LEDs  
Flash: 1000 Lms / 4 LEDs  
IP67 / IP6K9K • ECE R10 / R65  
76(W)\*108(H)\*40(D)mm



ADVENTURE

## 2.5" ROUND MINI WORKLAMP - 9W CA 5734

10/30V • 750 Lms • 3 LEDs • IP67  
ECE R10 • 70(W)\*95(H)\*45(D)mm



EXPLORER

## 6" RECTANGULAR WORKLAMP - 16W CA 5763

10/30V  
1600 Lumens  
16 LEDs  
Rated IP68 • ECE R10  
155(W)\*58(H)\*45(D)mm



ADVENTURE

## 6" LED WORK LAMP - 30W

**CA 5737** Plug-in Connector

10/30V • 2520 Lms  
6 LEDs • IP67  
ECE R10 / R48  
160(W)\*54(H)\*64(D)mm



## 9" LED SCENE LAMP - 18W

**CA 5748**

10/30V • 1800 Lms • 18 LEDs  
Rated IP67  
ECE R10  
231(W)\*54(H)\*46(D)mm



## 9" LED WHITE SCENE LAMP - 18W

**CA 5749**

10/30V • 1800 Lms • 18 LEDs  
Rated IP67  
ECE R10  
231(W)\*54(H)\*46(D)mm



## 7" SCENE / WARNING LAMP - 36W\*

**CA 5767**

10/30V • 12 LEDs  
IP67 • ECE R10 / R65 / R148  
180(W)\*61(H)\*28(L)mm



\*SCENE: 24W + WARNING: 12W

## 4.5" SQUARE LED LAMP - 27W

**CA 5754** Plug-in Connector

10/30V • 2160 Lumens  
9 LEDs • IP68 • ECE R10  
118(W)\*128(H)\*71(D)mm



## 4.5" OVAL LED LAMP - 40W

**CA 5755** Plug-in Connector

10/30V • 3600 Lumens  
8 LEDs • IP68 • ECE R10  
88(W)\*153(H)\*89(D)mm



## 4.5" OVAL LED W/LAMP - 40W

**CA 5756** Plug-in Connector

10/30V • 3600 Lumens  
4 LEDs • IP68 • ECE R10  
110(W)\*142(H)\*96(D)mm



## 6" RECTANGULAR LED LAMP - 40W

**CA 5757** Plug-in Connector

10/30V • 3600 Lumens  
8 LEDs • IP68 • ECE R10  
92(W)\*173(H)\*74(D)mm



## 3" ROUND LED LAMP - 30W

**CA 5758** Plug-in Connector

10/30V • 2700 Lumens  
3 LEDs • IP68 • ECE R10  
85(W)\*114(H)\*72(D)mm



## 3" ROUND LED W/LAMP - 40W

**CA 5761** Plug-in Connector

10/30V • 3800 Lumens  
4 LEDs • IP68 • ECE Reg 10  
84(W)\*84(H)\*55(D)mm



## 7" OVAL LED W/LAMP - 60W

**CA 5762** Plug-in Connector

10/30V • 5400 Lumens  
6 LEDs • IP68 • ECE R10  
173(W)\*115(H)\*68(D)mm



## 4x6" RECTANGULAR LED LAMP - 69W

**CA 5759** Plug-in Connector

10/30V • 3000 Lms\* • 16 LEDs  
IP68 • ECE R10 / R87 / R112  
166(W)\*106(H)\*80(D)mm



\*DRL: 900LM  
LOW/HIGH BEAM: 3000LM

## 12" LED LIGHTBAR - 72W

**CA 6135**

10/30V • 6480 Lumens  
24 OSRAM LEDs  
Rated IP68  
ECE R10  
305(W)\*91(H)\*65(D)mm



## 20" LED LIGHTBAR - 126W

**CA 6137**

10/30V • 11340 Lumens  
42 OSRAM LEDs  
Rated IP68  
ECE R10  
506(W)\*91(H)\*65(D)mm



## 36" LED LIGHTBAR - 234W

**CA 6138**

10/30V • 21060 Lumens  
78 OSRAM LEDs  
Rated IP68 • ECE R10  
914(W)\*91(H)\*65(D)mm



AGRITREK WORK LAMPS – designed as a replacement option on various tractor makes. Please visit [www.247lighting.net](http://www.247lighting.net) for more details.

# WORKLAMP BARS

## 21" ADVENTURE WORKLAMP BAR - 54W

### CA 6123

10/30V • **4050 Lumens**  
 18 LED • Rated IP67  
 EMC Approved  
 536(W)\*86(H)\*55(D)mm



## 8" ADVENTURE WORKLAMP BAR - 36W

### CA 6114

10/30V • **2700 Lumens**  
 12 LEDs • Rated IP67  
 EMC Approved  
 200(W)\*118(H)\*66(D)mm



## WORKLAMP BARS - DOUBLE ROW

10/30V • Rated IP67 • EMC Approved

### CA 6115

24 LEDs • 72W • **5400 Lumens** • 446(W)\*150(H)\*80(D)mm

### CA 6117

48 LEDs • 144W • **10800 Lumens** • 824(W)\*150(H)\*80(D)mm

### CA 6119

60 LEDs • 180W • **13500 Lumens** • 1013(W)\*150(H)\*80(D)mm



## CURVED WORKLAMP BARS - DOUBLE ROW

10/30V • Rated IP67 • EMC Approved

### CA 6126


24 LEDs • 72W • **5400 Lumens** • 528(W)\*119(H)\*85(D)mm

### CA 6127

36 LEDs • 108W • **8100 Lumens** • 719(W)\*119(H)\*93(D)mm

### CA 6128


48 LEDs • 144W • **10800 Lumens** • 910(W)\*119(H)\*103(D)mm



## 11" LED WORKLAMP BAR - 45W

### CA 6131 *Plug-in Connector*


10/30V • **3780 Lumens** • 9 OSRAM LEDs • Rated IP67  
 ECE R10 • 325(W)\*52(H)\*68(D)mm



## 21" LED LIGHTBAR - 90W

### CA 6136 *Plug-in Connector*


10/30V • **7650 Lumens** • 18 OSRAM LEDs • Rated IP67  
 ECE R10 / R112 • 586(W)\*70(H)\*80(D)mm



## 22" LED LIGHTBAR - 180W

### CA 6147 *Plug-in Connector*

10/30V • **15120 Lumens** • 36 OSRAM LEDs  
 Rated IP67 • ECE R10 / R112  
 550(W)\*77(H)\*56(D)mm  
**Double Row LED**



## LED-X DRIVING / POSITION LAMP - 33W\*

### CA 6162

10/30V • 2732 Lumens • 20 LEDs  
 Rated IP69K  
 ECE R7 / R10 / R12  
 240(W)\*102(H)\*126(D)mm



\*FULL BEAM: 30W + POSITION: 3.6W



## DRIVING / POSITION LAMP - 51W\*

### CA 6169

10/30V • 2800 Lumens • 21 LEDs  
 Rated IP66, IP6K9K  
 ECE R10, ECE R149 (Driving Lamp)  
 ECE R148 (Position Lamp)  
 EMC CISPR25 CLASS 5  
 244(W)\*160(H)\*110(D)mm



\*DRV: (12x4W) 48W,  
 POS: (7x0.5W) 3.5W  
 TOTAL: 51.5W (RAW)



## 7" DRIVING / DRL LAMP - 130W

### CA 6172

9600 Lumens • 10/30V  
 44 LEDs  
 (24 Driving Beam, 10 DI, 10 DRL & Position)  
 Rated IP67 / IPX9K  
 ECE R10 / R148 • CISP R25 Class 3  
 740m Light Distance  
 189(W)\*199(H)\*98(D)mm



Indicator & Front Position



## 9" DRIVING / DRL LAMP - 162W

### CA 6173

12800 Lumens • 10/30V  
 54 LEDs  
 (30 Driving Beam, 12 DI, 12 DRL & Position)  
 Rated IP67 / IPX9K  
 ECE R10 / R148 • CISP R25 Class 3  
 980m Light Distance  
 233(W)\*243(H)\*109(D)mm



Indicator & Front Position



## COMBO LED HEADLIGHT (RH) - 79W\*

### CA 6165R RIGHT

### CA 6165L LEFT

10/30V • 17 LEDs  
 ECE R6 / R10 / R87 / R112  
 Plug in Connector  
 20cm Fly Lead  
 228(W)\*173(H)\*106(D)mm



RHD Vehicles Only

\*HIGH BEAM 44W / 5200 lumens  
 LOW BEAM 22W / 2600 lumens  
 DRL 7W / 850 lumens  
 IND 6W



## COMBO LED HEADLIGHT (LH) - 79W\*

### CA 6168R RIGHT

### CA 6168L LEFT

10/30V • 17 LEDs  
 ECE R6 / R10 / R87 / R112  
 Plug in Connector  
 20cm Fly Lead  
 228(W)\*173(H)\*106(D)mm



LHD Vehicles Only

\*HIGH BEAM 44W / 5200 lumens  
 LOW BEAM 22W / 2600 lumens  
 DRL 7W / 850 lumens  
 IND 6W



# TAIL LAMPS / MULTI-FUNCTIONAL

## MULTIFUNCTIONAL TAIL LAMP

### CA 7092

10/30V  
ECE Approved  
Rated IP67  
120(W)\*39(H)\*19(D)mm



S • T • I

## MULTIFUNCTIONAL FOG / REVERSE LAMP

### CA 7096

10/30V  
ECE Approved  
Rated IP67  
120(W)\*39(H)\*19(D)mm



R • F

## MULTIFUNCTIONAL TAIL LAMP

### CA 7070

10/30V  
ECE Approved  
Rated IP67  
192(W)\*50(H)\*28(D)mm



S • T • I • R • RR

## 4" MULTIFUNCTIONAL TAIL LAMP

### CA 7093

10/30V  
ECE Approved  
Rated IP67  
105(W)\*95(H)\*24(D)mm



S • T • I • NP • RR

## 4" FRONT POSITION / INDICATOR

### CA 7094

10/30V  
ECE Approved  
Rated IP67  
105(W)\*95(H)\*24(D)mm



FP • I • RR

## 4" FOG / REVERSE

### CA 7095

10/30V  
ECE Approved  
Rated IP67  
105(W)\*95(H)\*24(D)mm




F • R • RR

## 4" MULTIFUNCTION TAIL LAMP

### CA 7106

10/30V  
ECE R6 / R7 / R10  
IP67  
82(W)\*82(H)\*28(D)mm  
100\*100\*28mm [w/Bracket]




S • T • I

## 4" INDICATOR / TAIL LAMP

### CA 7107

10/30V  
ECE R6 / R7 / R10  
IP67  
82(W)\*82(H)\*28(D)mm  
100\*100\*28mm [w/Bracket]




T • I

## 4" REVERSE / TAIL LAMP

### CA 7108

10/30V  
ECE R7 / R10 / R23  
IP67  
82(W)\*82(H)\*28(D)mm  
100\*100\*28mm [w/Bracket]




T • R

## 4" STOP / TAIL LAMP

### CA 7109

10/30V  
ECE R7 / R10  
IP67  
82(W)\*82(H)\*28(D)mm  
100\*100\*28mm [w/Bracket]



S • T

## 4" FRONT POSITION / INDICATOR

### CA 7111L LEFT

### CA 7111R RIGHT

10/30V • 36 LEDs  
ECE R10 / R148 / R150  
EMC Reg 10 • Rated IP67  
105(W)\*95(H)\*25(D)mm



FP • DI • RR

## 4" MULTIFUNCTIONAL TAIL LAMP

### CA 7110L LEFT

### CA 7110R RIGHT

10/30V • 40 LEDs  
ECE R10 / R148 / R150  
EMC Reg 10 • Rated IP67  
105(W)\*95(H)\*25(D)mm



S • T • I • NP • RR

## MULTIFUNCTIONAL TAIL LAMP

### CA 7074

10/30V • 12 SMD LEDs • ECE R10 / R148 / R149  
EMC R10 • Rated IP67 • 191(W)\*50(H)30(D)mm



S • T • I • R • RR

## FOG / REVERSE LAMP

### CA 7103 FOG

### CA 7102 REVERSE

10/30V  
ECE Approved  
Rated IP67  
101(W)\*81(H)\*29(D)mm



## 4.5" MULTIFUNCTIONAL TAIL LAMP

### CA 7058

12V  
ECE Approved  
Rated IP65  
110(W)\*110(H)\*24(D)mm



S • T • I • RR

## 6" MULTIFUNCTIONAL TAIL LAMP

### CA 7060

12V  
ECE Approved  
Rated IP66  
155(W)\*85(H)\*25(D)mm



S • T • I • RR

F: Fog Light    FP: Front Position    I: Indicator Light    NP: NumberPlate    R: Reverse Light    RR: Reflex Reflect    S: Stop Light    SM: Side Marker    T: Tail Light

## 8" MULTIFUNCTIONAL TAIL LAMP

**CA 7069**

**CA 70691** with 5M CABLE

10/30V • ECE Approved  
Rated IP67

190(W)\*100(H)\*37(D)mm

S•T•I•RR



## 12" MULTIFUNCTIONAL TAIL LAMP

**CA 7098** CLEAR LENS

10/30V  
ECE Approved  
Rated IP67

284(W)\*100(H)\*37(D)mm

S•T•I•R•RR•F



## 12" MULTIFUNCTIONAL TAIL LAMP

**CA 7099**

10/30V  
ECE Approved  
Rated IP67

284(W)\*100(H)\*37(D)mm

S•T•I•R•RR



## 12" MULTIFUNCTIONAL TAIL LAMP

**CA 7048**

10/30V  
ECE Approved  
Rated IP67

283(W)\*100(H)\*29(D)mm



DYNAMIC INDICATOR

S•T•I•R•RR•F



## 12" MULTIFUNCTIONAL TAIL LAMP

**CA 7049** ISO 13027 Compliant

10/30V  
ECE Approved  
Rated IP67

283(W)\*100(H)\*29(D)mm



BUILT-IN RESISTOR

DYNAMIC INDICATOR

S•T•I•R•RR•F



## 12" MULTIFUNCTIONAL TAIL LAMP

**CA 7035** LEFT

**CA 7036** RIGHT

10/30V  
ECE Approved  
Rated IP67

296(W)\*142(H)\*45(D)mm



S•T•I•R•RR•F



## 10" MULTIFUNCTIONAL TAIL LAMPS

**CA 7046** LEFT

**CA 7047** RIGHT

10/30V  
ECE Approved  
Rated IP67

252(W)\*133(H)\*29(D)mm



S•T•I•R•RR•F



## MULTIFUNCTIONAL TAIL LAMPS

**CA 7105R** RIGHT

**CA 7105L** LEFT

10/30V  
ECE Approved  
Rated IP67

187(W)\*208(H)\*39(D)mm



S•T•I•F•R•RR



## 5" MULTIFUNCTIONAL TAIL LAMP

**CA 9003** LEFT

**CA 9004** RIGHT


10/30V • 40 SMD LEDs • 7.8W  
ECE R3 / R6 / R7 / R10 • Rated IP67

Ø140mm\*38(D)mm



DYNAMIC INDICATOR

S•T•I•RR




## 5.5" MULTIFUNCTIONAL TAIL LAMP

**CA 9008**

10/30V • 20 LEDs  
ECE Approved  
IP67  
Ø140mm\*83(D)mm



S•T•I



## 5" MULTIFUNCTIONAL TAIL LAMP

**CA 7008**

10/30V • 24 LEDs  
ECE Approved  
IP67  
Ø122mm\*43(D)mm



S•T•I




## 5.5" MULTIFUNCTIONAL TAIL LAMP

**CA 9007** With bowl / 140\*83mm

**CA 9009** No bowl / 140\*38mm

10/30V • ECE R6 / R7  
Rated IP67 • 14 SMD LEDs



S•T•I



F: Fog Light

FP: Front Position

I: Indicator Light

NP: NumberPlate

R: Reverse Light

RR: Reflex Reflect

S: Stop Light

SM: Side Marker

T: Tail Light

## 5" MULTIFUNCTIONAL FOG / REVERSE

### CA 7009

10/30V • 24 LEDs  
ECE Approved • Rated IP67  
Ø122mm\*43(D)mm  
F • R



## ROUND LED LIGHT FOG / REVERSE

### CA 9013 FOG

### CA 9014 REVERSE

10/30V • 14 LEDs  
ECE Approved • Rated IP67  
Ø140mm\*38(D)mm



## LED COMMERCIAL TAIL LAMPS

### CA 7040 S • T • I • R • RR • SM

### CA 7041 S • T • I • F • RR • SM

10/30V • ECE Approved  
Rated IP67  
445(W)\*144(H)\*76(D)mm



AMBER  
SIDE  
MARKER



## LED COMMERCIAL TAIL LAMP

### CA 7020 LEFT

### CA 7021 RIGHT

10/30V • 128 LEDs  
ECE Approved  
Rated IP67  
525(W)\*135(H)\*76(D)mm



DYNAMIC  
INDICATOR



S • T • I • R • F • RR • SM

## LED COMMERCIAL TAIL LAMP

### CA 7022 LEFT

### CA 7023 RIGHT

10/30V • 84 SMD LEDs  
ECE Approved  
Rated IP67  
350(W)\*131(H)\*60(D)mm



DYNAMIC  
INDICATOR



S • T • I • R • F • NP • RR • SM

## 5" MULTIFUNCTIONAL FRONT POSITION/ INDICATOR

### CA 7010

10/30V • 24 LEDs  
ECE Approved • Rated IP67  
Ø122mm\*43(D)mm  
FP • I



## LED NUMBER PLATE LAMP

### CA 7085

10/30V  
4 LEDs  
ECE Approved  
Rated IP67  
72(W)\*41(H)\*50(D)mm



## LED COMMERCIAL TAIL LAMPS

### CA 7042 LEFT

### CA 7044 RIGHT

10/30V • ECE Approved  
Rated IP67  
445(W)\*144(H)\*76(D)mm  
S • T • I • RR • SM



AMBER  
SIDE  
MARKER



## LED COMMERCIAL TAIL LAMP

### CA 7026 LEFT

### CA 7027 RIGHT

10/30V • 118 LEDs  
ECE Approved  
Rated IP67  
360(W)\*135(H)\*36(D)mm



DYNAMIC  
INDICATOR



S • T • I • R • F • RR

## LED COMMERCIAL TAIL LAMP

### CA 7028 LEFT

### CA 7029 RIGHT

10/30V • 76 LEDs  
ECE Approved  
Rated IP67  
350(W)\*131(H)\*36(D)mm



DYNAMIC  
INDICATOR



S • T • I • R • F • RR

F: Fog Light    FP: Front Position    I: Indicator Light    NP: NumberPlate    R: Reverse Light    RR: Reflex Reflect    S: Stop Light    SM: Side Marker    T: Tail Light




## LED MARKER LAMPS

- CA 6090A** AMBER
- CA 6090R** RED
- CA 6090W** WHITE

10/30V • 3 LEDs  
 Surface / Bracket Mount  
 Rated IP67  
 ECE Approved  
 110(W)\*70(H)\*13(D)mm\*\*



\*\*[H] 40mm without Bracket



## LED MARKER LAMPS

- CA 7090A** AMBER
- CA 7090R** RED
- CA 7090W** WHITE

10/30V • 5 LEDs  
 Surface / Bracket Mount  
 Rated IP67  
 ECE Approved  
 110(W)\*82(H)\*38(D)mm



\*\*[H] 45mm without Bracket



## LED MARKER LAMPS

- CA 9350A** AMBER
- CA 9350R** RED
- CA 9350W** WHITE

10/30V • 3 LEDs  
 Surface / Bracket Mount  
 Plug-In Connector  
 Rated IP67 • ECE Approved  
 102(W)\*74(H)\*36(D)mm



\*\*[H] 47mm without Bracket



## LED MARKER LAMPS

- CA 7125A** AMBER
- CA 7125R** RED
- CA 7125W** WHITE

10/30V • 2 LEDs  
 Surface / Bracket Mount  
 ECE Approved  
 Rated IP67  
 111(W)\*75(H)\*24(D)mm\*\*




\*\*[H] 46mm without Bracket



## LED MARKER LAMPS

- CA 9330A** AMBER
- CA 9330R** RED
- CA 9330W** WHITE


10/30V • 4 LEDs  
 ECE Approved  
 Rated IP65  
 105(W)\*46(H)\*38(D)mm



## LED MARKER LAMPS

- CA 9320A** AMBER
- CA 9320R** RED
- CA 9320W** WHITE

10/30V • 4 LEDs  
 ECE Approved  
 Rated IP65  
 109(W)\*41(H)\*38(D)mm



## LED MARKER LAMPS

- CA 9315A** AMBER
- CA 9315R** RED
- CA 9315W** WHITE

10/30V • 6 LEDs  
 ECE Approved  
 Rated IP65  
 96(W)\*20(H)\*8(D)mm



## LED MARKER LAMPS

- CA 9310A** AMBER
- CA 9310R** RED
- CA 9310W** WHITE

10/30V • 3 LEDs  
 ECE Approved  
 Rated IP65  
 130(W)\*32(H)\*15(D)mm



# MARKER LAMPS / STALK LAMPS

## LED MARKER LAMPS

- CA 6095A** AMBER
- CA 6095R** RED
- CA 6095W** WHITE

10/30V • 2 LEDs  
Surface Mount • IP66  
ECE Approved • 65(W)\*28(H)\*17(D)mm



## LED MARKER LAMPS

- CA 6091A** AMBER
- CA 6091R** RED
- CA 6091W** WHITE


10/30V • 3 LEDs  
Rated IP67 • ECE Approved  
28(W)\*19(H)\*16(D)mm



## LED MARKER LAMPS

- CA 7121** AMBER

10/30V  
Rated IP67  
ECE R10 / R148 / R150  
88(W)\*150(H)\*27(D)mm



## LED MARKER LAMP

- CA 7112A**

10/30V • 6 SMD LEDs  
Horizontal Mount  
Rated IP67 • EMC R10  
ECE R3 / R7 / R91  
124(W)\*49(H)\*22(D)mm



\*\*[H] 40mm  
without Bracket

## LED MARKER LAMP

- CA 7120A**

10/30V  
2 LEDs  
Rated IP67  
ECE Approved  
Surface Mount • 106(W)\*35(H)\*13(D)mm



## LED MARKER LAMP

- CA 7091A**

10/30V  
2 LEDs  
Rated IP67  
ECE Approved  
Surface Mount • 126(W)\*38(H)\*10(D)mm



## LED MARKER LAMP

- CA 9723**

10/30V • 6 LEDs [2 x 0.2W / 4 x 0.5W]  
Screw Mount • Rated IP67  
ECE R10 / R6 / R7 / R91  
100(W)\*85(H)\*36(D)mm  
Front: White / Rear: Red / Side: Amber



## LED RUBBER MARKER LAMP

- CA 9711**

10/30V • 8 LEDs  
Screw Mount  
Rated IP67 • ECE Approved  
86(W)\*67(H)\*44(D)mm  
Front: White / Rear: Red



## 45° LED STALK LAMPS

- CA 6193V** LEFT
- CA 6194V** RIGHT

10/30V • 5 LEDs • 45° Angle  
Rated IP67 • ECE Approved  
Front: White / Rear: Red / Side: Amber  
149(W)\*144(H)\*104(D)mm



VERTICAL MOUNT



## 60° LED STALK LAMPS

- CA 6200V** LEFT
- CA 6201V** RIGHT

10/30V • 6 SMD LEDs • 60° Model Arm Angle  
Rated IP67 • ECE R10 / R6 / R7 / R91  
Front: White / Rear: Red / Side: Amber  
175(W)\*110(H)\*36(D)mm



VERTICAL MOUNT



## LED STALK LAMPS

- CA 6191V** LEFT
- CA 6192V** RIGHT

10/30V • 39 SMD LEDs • 33.9W  
Rated IP67 • ECE R6 / R7 / R10 / R91  
Front: White / Rear: Red / Side: Amber  
185(W)\*146(H)\*52(D)mm




## 60° LED STALK LAMPS

- CA 6296** LEFT
- CA 6297** RIGHT

10/30V • 6 LEDs • 60° Angle  
Rated IP66 • ECE Approved  
160\*55mm • Lens: Ø60mm  
Front: White / Rear: Red



VERTICAL MOUNT



## 60° LED STALK LAMPS

**CA 6096** LEFT

**CA 6097** RIGHT

10/30V • 8 LEDs • 60° Angle  
 Rated IP67 • ECE Approved  
 55(W)\*160(H)mm • Lens: Ø60mm  
 Front: White • Rear: Red



VERTICAL MOUNT



## 90° LED STALK LAMPS

**CA 6196** LEFT

**CA 6197** RIGHT

10/30V • 8 LEDs • 90° Angle  
 Rated IP67 • ECE Approved  
 55(W)\*160(H)mm • Lens: Ø60mm  
 Front: White • Rear: Red



VERTICAL MOUNT



## 90° SHORT LED STALK LAMPS

**CA 6298** LEFT

**CA 6299** RIGHT

10/30V • 6 LEDs • 90° Angle  
 Rated IP66 • ECE Approved  
 55(W)\*115(H)mm • Lens: Ø60mm  
 Front: White • Rear: Red



## LED SIDE MARKER LAMP

**CA 9721** LEFT

**CA 9722** RIGHT

10/30V • 15 SMD LEDs [0.2W each]  
 Horizontal / Vertical Mount  
 Rated IP67 • ECE R7 / R10 / R91  
 132(W)\*102(H)\*54(D)mm



## MAGNETIC WIRELESS TAIL LAMPS

**CA 9558** LED

10/30V • ECE R3 / R4 / R6 / R7 / R10  
 84 LEDs • Rated IP65  
 10hr Working Time  
 Strong Magnetic Base  
 Battery Level Indicator



new product



118(W)\*93(H)\*64(D)mm

7 Pin Connection  
 R • S • T • DI • NP

For a full listing of spares and accessories please visit [www.247lighting.net](http://www.247lighting.net)

## LED MAGNETIC TRAILER LAMPS

**CA 9553** 7.5M CABLE / LED

**CA 9554** 12M CABLE / LED

12V • ECE R3 / R4 / R6 / R7  
 Rated IP67  
 2.5mtr Between Lamps



7 Pin Connection  
 R • S • T • DI • NP

## MAGNETIC TRAILER LAMPS

**CA 9550** 7.5M CABLE / BULB

12V  
 ECE R4 / R6 / R7  
 Rated IP65  
 2.5mtr Between Lamps



7 Pin Connection  
 S • T • DI • NP

## LED TRAILER BOARDS

**CA 9504** 4.6' / 7M CABLE / LED

**CA 9505** 4.6' / 12M CABLE / LED

**CA 9507** 5' / 12M CABLE / LED

12V • ECE R3 / R4 / R6 / R7 / R38  
 Rated IP67



7 PIN Connection  
 R • S • T • DI • F • NP

## TRAILER BOARDS

**CA 9500** 4.6' / 7M CABLE / BULB

12V • ECE R3 / R4 / R6 / R7 / R38  
 Rated IP65

7 PIN Connection  
 R • S • T • DI • F • NP

R: Reflector

S: Stop Light

T: Tail Light

D.I.: Directional Indicator

F: Fog

NP: NumberPlate

# INTERIOR LAMPS

## 10.5" / 22.5" INTERIOR LAMP\*

**CA 7079** 266mm | 380 Lms | 18 LEDs

**CA 7080** 570mm | 900 Lms | 45 LEDs

10/30V  
28(H)\*14(D)mm  
On/Off Switch



Cool White

## 18.25" / 10.5" INTERIOR LAMP

**CA 7077** 462mm | 1920 Lms | 96 LEDs

**CA 7078** 262mm | 960 Lms | 48 LEDs

10/30V  
100(H)\*28(D)mm  
On/Off Switch




Cool White

## 14.5" SWIVEL LAMP

**CA 6077**

10/30V • 30 LEDs • 660 Lms  
470(W)\*35(H)\*33(D)mm  
On/Off Switch • 400mm Cable



180° Turnable




Cool White

## 13" SWIVEL LAMP

**CA 6075**

10/30V • 6 LEDs • 660 Lms  
327(W)\*46(H)\*51(D)mm  
On/Off Switch • 400mm Cable



180° Turnable



Cool White

## 9" SWIVEL LAMP

**CA 6078**

10/30V • 10 LEDs • 200 Lms  
225(W)\*35(H)\*33(D)mm  
On/Off Switch • 400mm Cable

180° Turnable



Cool White

## 6" ROUND LAMP

**CA 6150**

10/30V • w/Switch  
6 LEDs • 660 Lms  
143(W)143(H)\*38(D)mm  
400mm Cable



Cool White

## 4" ROUND LAMP

**CA 6151**

10/30V • w/Switch  
3 LEDs • 330 Lms  
Ø95\*24mm  
400mm Cable



Cool White

## 5" ROUND LAMP

**CA 6152**

10/30V • ECE R10  
35 LEDs • 2100 Lms  
Ø130\*17mm • Rated IP67



Illuminated Touch Switch



Warm White

## 7" OVAL LAMP

**CA 6153**

10/30V • ECE R10  
20 LEDs • 1400 Lms  
172(W)\*57(H)\*15(D)mm • Rated IP67



Illuminated Touch Switch



Warm White

## 6.75" OVAL LAMP

**CA 7072**

10/30V • ECE R10  
20 LEDs • 800 Lms  
170(W)\*82(H)\*18(D)mm • Rated IP67



Illuminated Touch Switch



Cool White

## LED ROUND INTERIOR LAMP

**CA 6154**

**CA 6155** With PIR Sensor

10/30V • 3W (26 x 0.2W) • 26 LEDs  
350 Lms • ECE R10 • IP67  
Ø110(W/H)\*14(D)mm  
200mm Cable



Warm White



## LED OVAL INTERIOR LAMP

**CA 6156**

**CA 6157** With PIR Sensor

10/30V • 3W (24 x 0.2W) • 24 LEDs  
350 Lms • ECE R10 • IP67  
172(W)\*57(H)\*16(D)mm  
200mm Cable



Warm White



## 15" LED INTERIOR LAMP

**CA 6158** with PIR Sensor

**CA 6159** Illuminated Touch Switch

10/30V • 3W (15 x 0.2W) • 15 LEDs • 260 Lms • ECE R10 • IP67  
200mm Cable  
380(W)\*36(H)\*21(D)mm (PIR)  
380(W)\*36(H)\*17(D)mm (SW)



Warm White



## 27" LED INTERIOR LAMP

**CA 6166** with PIR Sensor

**CA 6167** Illuminated Touch Switch

10/30V • 6W (30 x 0.2W) • 30 LEDs • 520 Lms • ECE R10 • IP67  
200mm Cable  
680(W)\*36(H)\*21(D)mm (PIR) /  
680(W)\*36(H)\*17(D)mm (SW)



Warm White



## RESISTOR

**CA 7055** 12V / 15.96W

**CA 7056** 24V / 16.08W

Aluminium Alloy  
Low Power  
87(W)\*45(H)\*30(D)mm



## RESISTOR

**CA 7161** 10/30V

10/30V  
50 Watt  
6 Ohms  
55(W)\*40(H)\*18(D)mm



# 247 LIGHTING PRODUCT CATEGORIES EXPLAINED

Thank you for taking the time review our Lighting Range. Please note that full product specifications are available on our website [www.247lighting.net](http://www.247lighting.net).

You will have noticed while browsing that we have categorised\branded most of our products with **sub-brands** such as **Explorer, Adventure, Trekker** etc. This is to assist you in finding the correct product quality and price level suitable for your market/application.

PLEASE SEE A BRIEF DESCRIPTION OF EACH CATEGORY



**PREMIUM RANGE**  
5 Year Warranty



**MID RANGE**  
3 Year Warranty



**ECONOMY RANGE**  
2 Year Warranty

# INSPECTION LAMPS | HEAD TORCH

## LED INSPECTION LAMP & TORCH

### EP 066

**580 Lumens**  
2 in 1 LED Lamp  
Rechargeable  
270° Dual Pivot Head  
4 Brightness settings  
USB / Car Charger  
Li-ion Battery  
Magnetic Stand / Metal Hook  
Ultra Slim, Compact design  
Folds into Pocket size Lamp  
30[W]\*320[H]\*47[D]mm

Display Box of 8 Available

POLARIS



## LED INSPECTION LAMP & TORCH

### EP 069

**380 Lumens**  
Rechargeable  
7 SMD LEDs  
USB / Car Charger  
2 Magnets  
2 Foldable Hooks  
Li-ion Battery  
64[W]\*270[H]\*40[D]mm

Display Box of 8 Available

POLARIS



## RECHARGEABLE COB LED HEAD TORCH

### EP 1090

**350 Lumens**  
5W COB LED  
Li-ion Battery  
120° Illumination  
Switch Mode Function: 10% - 100%  
Head Band/Belt Bracket  
USB Cable • Motion Activated & Dim Function  
IP Rated IP65 / IK Rated: IK08  
Protection Class: Class III  
CE Rated / RoHS  
87[W]\*49[H]\*41[D]mm

Display Box of 10 Available

POLARIS



## LED INSPECTION LAMP

### EP 065

**650 (500+150) Lumens**  
2 in 1 LED Lamp  
Rechargeable  
USB / Car Charger  
Dimmer Function  
Strong Magnetic Stand  
Li-ion Battery  
Slim Compact / Soft Neck / with Clip  
540[W]\*46[H]\*51[D]mm

Display Box of 8 Available

POLARIS



## LED INSPECTION LAMP

### EP 067

**950 (800+150) Lumens**  
2 in 1 LED Lamp  
Rechargeable  
USB / Car Charger  
Strong Magnetic Stand & Hook  
Li-ion Battery  
Dimming Function  
360° Pivot Base  
410[W]\*46.5[H]\*52[D]mm

POLARIS



THE POLARIS RANGE of products are designed and manufactured to excel in the harshest of conditions.



**new**  
product



**247 ELECTRICAL STAND**  
**CA 9920**

**new**  
product



**247 LIGHTING STAND**  
**CA 9972**

## merchandisers

247Lighting offer a wide range of products to cater to different tastes and preferences.

Effectively display your 247Lighting products and enhance the overall shopping experience for you customer.

247Lighting merchandiser units maximise retail space efficiency, allowing retailers to display more products in a limited area with space-saving features such as shelving, hooks, and adjustable configurations.

These merchandiser units are built to withstand heavy use and last for the long term.

APPROVED DISTRIBUTOR

